

December 7, 2004  
Case No.: AUS920010643US1 (9000/54)  
Serial No.: 10/042,503  
Filed: January 9, 2002  
Page 2 of 9

**CLAIM LISTING:**

A listing of an entire set of claims 1-18 is submitted herewith per 37 C.F.R. §1.121. This listing of pending claims 1-18 will replace all prior versions, and listings, of claims in the application.

1. (Original) A method of error retention for multi-threaded software, comprising:  
    executing an application which uses a logger that collects log statements;  
    collecting at least one log statement from at least one application thread and  
    storing the at least one log statement in memory; and  
    allowing the collected log statement to be persisted in case of an error in a  
    production environment.
2. (Original) The method of claim 1 wherein the application and logger are implemented on a web application server.
3. (Original) The method of claim 1 wherein the executing application is run in a development environment.
4. (Original) The method of claim 1 wherein the executing application is run in a test environment.
5. (Original) The method of claim 1 wherein the logger is built into a base class of an object oriented application framework.
6. (Original) The method of claim 1 wherein the production application is an Internet accessible application.

December 7, 2004

Case No.: AUS920010643US1 (9000/54)

Serial No.: 10/042,503

Filed: January 9, 2002

Page 3 of 9

7. (Original) The method of claim 1 wherein the method can be implemented using background threads.

8. (Original) The method of claim 1 further comprising:  
detecting a death of an application thread by the logger; and  
deleting the application thread's log statements after thread death detection.

9. (Original) A system of error retention for multi-threaded software,  
comprising:  
means for executing an application which uses a logger that collects log  
statements;  
means for collecting at least one log statement from at least one application  
thread and storing the at least one log statement in memory; and  
means for allowing the collected log statement to be persisted in case of an  
error in a production environment.

10. (Original) The system of claim 9 further comprising:  
means for detecting a death of an application thread by the logger; and  
means for deleting the application thread's log statements after thread death  
detection.

December 7, 2004  
Case No.: AUS920010643US1 (9000/54)  
Serial No.: 10/042,503  
Filed: January 9, 2002  
Page 4 of 9

11. (Original) A computer readable medium storing a computer program comprising:
  - computer readable code for executing an application which uses a logger that collects log statements;
  - computer readable code for collecting at least one log statement from at least one application thread and storing the at least one log statement in memory; and
  - computer readable code for allowing the collected log statement to be persisted in case of an error in a production environment.
12. (Original) The computer readable medium of claim 11 wherein the application and logger are implemented on a web application server.
13. (Original) The computer readable medium of claim 11 wherein the executing application is run in a development environment.
14. (Original) The computer readable medium of claim 11 wherein the executing application is run in a test environment.
15. (Original) The computer readable medium of claim 11 wherein the logger is built into a base class of an object oriented application framework.
16. (Original) The computer readable medium of claim 11 wherein the production application is an Internet accessible application.
17. (Original) The computer readable medium of claim 11 wherein the method can be implemented using background threads.

December 7, 2004  
Case No.: AUS920010643US1 (9000/54)  
Serial No.: 10/042,503  
Filed: January 9, 2002  
Page 5 of 9

18. (Original) The computer readable medium of claim 11 further comprising:  
computer readable code for detecting a death of an application thread by the  
logger; and  
computer readable code for deleting the application thread's log statements  
after thread death detection.